



James A. Fitzpatrick, Jr.
Chief

TOWN OF CANTON

Fire Department

99 REVERE STREET, CANTON, MA 02021
EMERGENCY: 828-1313 • BUSINESS: (617) 821-5095



Thomas J. Ronayne, III
Deputy Chief

ARTICLE 21 - VOTED: That the Town amend Article XVI of the General By-Laws by adding a new section 10 "Fire Alarm and Fire Protection Systems" substantially as follows:

Section 10: Fire Alarm and Fire Protection Systems - SECURED KEY ACCESS. Any building other than a residential building of less than six (6) units which has a fire alarm system or other fire protection system shall provide a secure key box installed in a location accessible to the Fire Department in case of emergency.

This key box shall contain keys to fire alarm control panels and other keys necessary to operate or service fire protection systems.

The key box shall be of a type approved by the Chief of the Fire Department and shall be located and installed as approved by the said Chief.

Any building owner in violation of this by-law after receiving due notice by the Fire Chief shall be subject to a fine of fifty dollars (\$50.00) per violation. This section may be enforced by the Fire Chief in the manner provided in Section 21D of Chapter 40.

ADOPTED UNANIMOUS VOICE VOTE

FINAL DATE TOWN MEETING, MAY 22, 1989

ATTEST: Carlton B. Taber
Town Clerk

PLEGGED TO FIRE PREVENTION

Town of Stoughton



10 Pearl Street
Stoughton, Massachusetts 02072

Tel. (617) 341-1300

ANNUAL TOWN MEETING
APRIL 27, 1987
SESSION OF MAY 6, 1987

Article 84 (ID 66)

SO VOTED to amend the By-Laws of the Town of Stoughton by adding the following new section to Chapter 59-FIRE PREVENTION:

ARTICLE VII

S59-30: Secured Key Access

Any building other than a residential building of less than six (6) units which has a fire alarm system or other fire protection system shall provide a secure key box installed in a location accessible to the Fire Department in case of emergency. This key box shall contain keys to fire alarm control panels and other keys necessary to operate or service fire protection systems.

The key box shall be a type approved by the Chief of the Stoughton Fire Department and shall be located and installed as approved by the Chief.

A True Copy, Attest: _____
Town Clerk

Town of Norwood
**AMENDMENT TO
TOWN BY-LAWS**



The Town of Norwood voted to adopt a general Town By-Law to be entitled "Fire Alarm and Fire Protection Systems" as follows:

Section 1: SECURED KEY ACCESS

Any building other than a residential building of less than six (6) units which has a fire alarm system or other fire protection system shall provide a secure key box installed in a location accessible to the Fire Department in case of emergency. This key box shall contain keys to fire alarm control panels and other keys necessary to operate or service fire protection systems.

The key box shall be a type approved by the Chief of the Norwood Fire Department and shall be located and installed as approved by the Chief.

Any building owner violating this by-law after receiving due notice by the Fire Department shall be subject to a fine of fifty dollars (\$50.00).

A true copy under Article 8 of the Special Town Meeting of May 12, 1986 adjourned to May 14, 1986.

Attest: Robert M. Thornton
Town Clerk and Accountant

June 20, 1986

Boston, Massachusetts

The foregoing amendment to the general by-laws adopted under article 8 of the warrant for the Norwood Special Town Meeting held May 12 and 14, 1986, is hereby approved.

Francis X. Bellatti
Attorney General

A true copy.

Attest: Robert M. Thornton
Town Clerk and Accountant

This public notice to be advertised in the issue of the Norwood Times on July 3 and July 10, 1986 and pursuant to such advertising in accordance with the provisions of General Laws will be in full force and effect on July 11, 1986

To Whom it May Concern:

The _____ Fire Department, as part of its service to our business people, has routinely carried keys. In the past, we have found this to be very helpful. But, as the city of _____ has grown, so has the number of keys. This has become unmanageable, and we will not be able to continue this service.

To replace this service, we have found a product that can alleviate key control problems. This product makes keys available to us and yet provides you with the security that is important to all our business people. This product is the SupraSafe 2 from Supra Products, Inc. (Please see enclosure.) The Fire Department would be the only one to control a master key that would fit this product. What this will do for you is, if you have an alarm in your building, we will be able to let ourselves in without any damage. Also, after the emergency, we will then be able to lock your building to maintain security.

We have enclosed an order form with which to obtain your KeySafe. Our suggested mounting for this product is 8 to 9 feet from the grade, above the main entrance, on the hinge side of the door.

If you have any questions on this product, one of our Fire Inspectors will be very happy to answer your questions. Office hours for the Fire Inspectors are _____. They can be reached by dialing _____. Thank you for your support.

Sincerely,

Enclosures

To Whom it May Concern:

The _____ Fire Department has been receiving an increasing amount of alarms, many of which are false alarms. These alarms often occur after business hours when buildings are locked up, creating problems for entry. They frequently result in doors being broken down which can become very expensive to the owner and an awkward choice for the Fire Department.

After spending much time reviewing alternatives, we have found a solution. The solution will require your support and will benefit you and the service we provide. The solution is SupraSafe Rapid Entry KeySafes which mount to the exterior of your building and contain your keys locked inside. The master key to all the KeySafes will only be controlled by the Fire Department. What this will do for you is, if you have an alarm in your building, we will be able to let ourselves in without any damage. Also, after the emergency, we will then be able to lock your building to maintain security.

Enclosed you will find information regarding the SupraSafe product and an order form with which to obtain your KeySafe. Our suggested mounting for this product is 8 to 9 feet from the grade, above the main entrance, on the hinge side of the door.

If you have any questions on this product, one of our Fire Inspectors will be very happy to answer your questions. Office hours for the Fire Inspectors are _____. They can be reached by dialing _____. Thank you for your support.

Sincerely,

Enclosures